


```

RRRRRRRR      EEEEEEEEEEE      QQQQQQ
RRRRRRRR      EEEEEEEEEEE      QQQQQQ
RR              EE              QQ              QQ
RR              EE              QQ              QQ
RR              EE              QQ              QQ
RR              EE              QQ              QQ
RRRRRRRR      EEEEEEEEEEE      QQ              QQ
RRRRRRRR      EEEEEEEEEEE      QQ              QQ
RR      RR      EE              QQ              QQ      QQ
RR      RR      EE              QQ      QQ      QQ
RR              EE              QQ              QQ      QQ
RR              EE              QQ              QQ
RR              EE      EEEEEEEEEEE      QQQQ      QQ
RR              EE      EEEEEEEEEEE      QQQQ      QQ

```

Prologue BLISS REQUIRE file for VAX-11 Pascal RTL Support
File: PASPROLOG.REQ, Edit: SBL1001

COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
ALL RIGHTS RESERVED.

THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
TRANSFERRED.

THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
CORPORATION.

DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.

Edit History:

1-001 - Created. SBL 1-April-1981

Set addressing modes to be used.

SWITCHES ADDRESSING_MODE (EXTERNAL=GENERAL, NONEXTERNAL=WORD_RELATIVE);

Reference precompiled libraries.

LIBRARY 'RTLSTARLE'; ! SYSS\$LIBRARY:STARLET.L32
LIBRARY 'RTLML:PASLIB'; ! Pascal-specific definitions

Declare PSECTs to be used.

PSECT
CODE = PASSCODE (READ, NOWRITE, EXECUTE, SHARE, PIC,
ADDRESSING_MODE (WORD_RELATIVE)),
PLIT = PASSCODE (READ, NOWRITE, EXECUTE, SHARE, PIC,
ADDRESSING_MODE (WORD_RELATIVE)),


```
OWN = PASSDATA (READ, WRITE, NOEXECUTE, NOSHARE, PIC,  
ADDRESSING_MODE (LONG_RELATIVE)),  
GLOBAL = PASSDATA (READ, WRITE, NOEXECUTE, NOSHARE, PIC,  
ADDRESSING_MODE (LONG_RELATIVE));
```

! End of PASPROLOG.REQ

0293 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

